



**PERRY JOHNSON LABORATORY
ACCREDITATION, INC.**

Certificate of Accreditation

Perry Johnson Laboratory Accreditation, Inc. has assessed the Laboratory of:

Consumer Product Testing Company, Inc.
70 New Dutch Lane, Fairfield, NJ 07004

(Hereinafter called the Organization) and hereby declares that Organization is accredited in accordance with the recognized International Standard:

ISO/IEC 17025:2005

This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (as outlined by the joint ISO-ILAC-IAF Communiqué dated January 2009):

Biological and Chemical Testing
(As detailed in the supplement)

Accreditation claims for such testing and/or calibration services shall only be made from addresses referenced within this certificate. This Accreditation is granted subject to the system rules governing the Accreditation referred to above, and the Organization hereby covenants with the Accreditation body's duty to observe and comply with the said rules.

For PJLA:

Initial Accreditation Date:

Issue Date:

Expiration Date:

September 29, 2016

September 29, 2016

September 29, 2018

Tracy Szerszen
President/Operations Manager

Accreditation No.:

Certificate No.:

80071

L16-407

Perry Johnson Laboratory
Accreditation, Inc. (PJLA)
755 W. Big Beaver, Suite 1325
Troy, Michigan 48084

The validity of this certificate is maintained through ongoing assessments based on a continuous accreditation cycle. The validity of this certificate should be confirmed through the PJLA website: www.pjlab.com



Certificate of Accreditation: Supplement

Consumer Product Testing Company, Inc.

70 New Dutch Lane, Fairfield, NJ 07004

Contact: William Neumann Phone: 973-808-7111

Accreditation is granted to the facility to perform the following testing:

FIELD OF TEST	ITEMS, MATERIALS OR PRODUCTS TESTED	SPECIFIC TESTS OR PROPERTIES MEASURED	SPECIFICATION, STANDARD METHOD OR TECHNIQUE USED	RANGE (WHERE APPROPRIATE) AND DETECTION LIMIT	
Biological ^F	Ingredients, Drug Products, Cosmetic and Consumer Products, Dietary Supplements and Medical Devices	Microbial Content	Harmonized USP 61 & 62 and EP 2.6.12, 2.6.13	Presence/Absence or CFU/g or mL Varies with analyte	
		Sterility	USP <71> EP 2.6.1 AAMI/ISO 11737-2:2009		
		Bioburden	AAMI 11737-1: 2006		
		LAL Endotoxin	USP <85> EP 2.6.14		
		Preservative Effectiveness	USP <51> EP 5.1.3 CTFA		
		Cosmetic Products Preservative Effectiveness	ISO 11930:2012		
		Water Testing	CPTC010020		
		Ames Mutagenicity (Bacterial Reverse Mutation Assay)	OECD 471		
Chemical ^F	Ingredients, Drug Products, Dietary Supplements and Consumer Products	Residual Ethylene Oxide and Dioxane	USP <228> Ethylene Oxide and Dioxane	N/A	
			Method 1		ETO 10 ppm Dioxane 10 ppm
			Method 2		ETO 1 ppm Dioxane 10 ppm
		Determination of residual solvents	USP <467> Residual Solvents GC	Varies with analyte ppm levels	
		Potency and Impurity Assays	USP<621> Chromatography HPLC and GC	Typically % or mg quantities Varies with analyte	
	Children's Toys and Childcare Articles	Determination of Phthalates	CPSC-CH-C1001-09.3	Typically % or mg quantities	

1. The presence of a superscript F means that the laboratory performs testing of the indicated parameter at its fixed location. Example: Outside Micrometer^F would mean that the laboratory performs this testing at its fixed location.
2. "Accreditation is granted through technology based flexible scope criteria. Additional methods other than listed above may fall under the accreditation of the laboratory. A complete listing of method capabilities can be derived from the laboratory upon request".